ASPEN DISTRICT THEATRE

Dennis Cyrus, Theater Manager Aspen School District Theatre 0235 High School Road Aspen, Colorado 81611 970 925-3760 x3152 970 925-6878 (fax) dcyrus@aspenk12.net

Theatre Specifications (a/o 9/15/10)

Seating Capacity:

550 Total (386 Main Floor, 164 Balcony). 2 permanent wheel chair spaces on the last row, seats on the front row can be removed to accommodate additional wheel chair spaces.

Stage Dimensions:

Proscenium 48'0" wide x 23'0" high

Normal Opening Leg to Leg
Normal Opening, Border Height
Plaster Line to Curtain Line
Plaster Line to Back Wall
Plaster Line to Cyclorama
Plaster Line to Front Apron

40'0"
22'0"
40'3"
70"
5'0"

Plaster Line to Front Edge of Orchestra Pit 11'0" (poor sight line front row balcony)

(pit is normally covered)

C/L to Stage Right Wall 52'0" (Fly floor 28'6" R of C/L, 10' ceiling)

(Tall scenic storage is off left because of 10' ceiling stage right) C/L to Stage Left Wall 52'0" (full height ceiling)

Crossover 6'0" wide hallway immediately behind stage Orchestra Pit 24' wide x 10' US to DS wall x 8'deep

(cover removal is manual in 6 sections - weight limitations on Pit cover)

FOH Lighting Positions:

Catwalk Position Pipe to Plaster Line 24'6" at 35'0" above stage level Balcony Rail Pipe to Plaster Line (C/L) 35'0" at 20'0" above stage level

(curves to 31'0" from Plaster Line at 26'0" SL/SR from Center Line)

Box Booms (2) Pipes to Plaster Line 24'0" from 12'0" to 28'0" above

stage level (2 vertical pipes 16'0" high)

Follow Spot booth to Plaster Line 56'6" at 39'6" above stage level

Follow Spot Throw Distance to Plaster Line 69'0" at stage level

(Follow Spots by special arrangements)

Rigging System:

Line sets 36 double Purchase

Capacity 800lbs Max Out Trim 45'7"

(lines 1-6 & 52-58 have a max out trim of 48'0")

7 Single Purchase Pipes Capacity 1000lbs Max Out Trim 27'0"

Batten Length 55'0" Grid 46'3"

Fly Floor: Stage Right 28'6" from C/L of Stage,

13'8" Above Stage Level

Loading Bridges (2): 31'0" and 39'0" Above Stage Level 27'9" from C/L

Main Curtain: Manually operated on stage left, at stage level. Single purchase,

vertical lift (Traveler option operated from stage right at stage level). House curtain is Red and has a center opening for page

bows.

Masking:

1 Red House Curtain, 50% Fullness, 25 oz (vertical lift or traveler)

Teaser/Tormentor Package

1 Red Teaser (valance) 60'w x 15'h, 50% Fullness, 25 oz

2 Red Tormentors (legs) 9'w x 25'h, 50% Fullness, 25 oz

5 Sets Black Legs 12'w x 25'h, Flat, 21 oz

6 Black Borders 60'w x 15'h, Flat, 21 oz

3 vertical tab set SL 8' x 25'

5 sets tabs stage right 10' x 5'

1 Black Sharkstooth Scrim 30'0" x 60'0"

2 Black Sharkstooth Scrim 24'0" x 52'0" (one has been patched)

2 Black Velour Backdrops, flat, 21 oz 25'0" x 56'0"

1 White Muslin Cyc (Bounce) 30'0" x 60'0"

1 Rosco Twin White Rear Projection Cyc 28' x 58'

Stage Flooring:

- -D'Anser sprung portable dance floor. (3" high, 64' Wide X 36'9" Deep, 4' extensions offstage and 4' ramped sides.) covered with masonite painted matte black -Harlequin Studio "Marley type" Covering (Black)
- <u>Please note:</u> Nails, Screws, Bolts, Staples or any other fasteners are not allowed in the Harlequin Studio stage floor. Tape is permitted (Gaffer's, vinyl, spike, glow). Permission is required to use screws into wood flooring.

Lighting:

- ETC Expression 3 Lighting Console 400 channel (7/01)
- 336 Dimmers @2.4k
- 102 ETC Source Four 36° ERS 575w
- 32 ETC Source Four 36° ERS 575w PERMANENT ASFB BOOM UNITS
- 41 ETC Source Four 26° ERS 575w
 - 8 ETC Source Four 26° ERS 575w PERMANENT ASFB BOOM UNITS
- 4 ETC Source Four 19° ERS 575w
- 10 ETC Source Four 50° barrels
- 4 ETC Source Four 19° barrels
- 2 ETC Source Four iris inserts
- 6 Altman 6x12 ERS 1k
- 36 Altman 6x16 ERS 1k
- 24 Altman Par 64 (WFL, MFL, NSP, and VNSP lamps available)
- 4 16" Scoops 750w
- 6 Par 56 Border Lights 8' 12 lamp (3 circuit)
- 10 MR-16 Mini Strip Lights 8' 40 lamp (4 circuit)
- 6 T-3 Quartz Cyc Lights 6 lamp (3 circuit)

Ladders and Lift:

- JGL Drivable Lift (Max Platform Height 19' 6")
- 26' fiberglass trestle ladder ("New York" style A-frame trestle)

Little Giant Ladder 6'0" to 11'0" Step Ladder (13'0" to 23'0" extended variation)

- 6' fiberglass step ladder
- 8' fiberglass step ladder
- 12' fiberglass step ladder
- 12' wooden step ladder
- 14' aluminum step ladder
- 14' fiberglass extension ladder (to 28')

Sound:

1 – Yamaha LS9 - 32 channel mixing console

REMAINING HOUSE SOUND INVENTORY DETAILS COMING SOON

- 4 Shure UHF wireless lavalier microphones (1 doubles as HH)
- 1 Lectrosonics Freedomike M185 wireless lavalier microphone
- 2 Audio Technica AT849 stereo boundary microphones
- 5 Crown PCC160 boundary microphones
- 2 Shure SM58 microphones
- 5 Audio Technica AT8531 miniature condenser microphones
- 4 Audio Technica AT lavalier microphones
- 2 Audio Technica AT813a condenser cardioid microphones
- 3 Electro Voice N/D457 dynamic cardioid microphones
- 3 Electro Voice N/D257 dynamic cardioid microphones
- 1 –Boston upright piano (black)
- 1 Yamaha electric piano PF1500 (full keyboard, true action)

Communications:

Clear-Com intercom system 10 stations located throughout the theatre including front of house. No wireless clear-com available.

Stage manager's paging system to dressing rooms.

Loading Dock:

- -Stage level stage right
- -Loading door 10'9" high x 7'11" wide (one hallway door obstructs at 10'0" high and 6'0" wide)
- -Loading Dock height 3'0"
- -Loading Dock width 9'0"
- -Overhead clearance 14'0" (partially covered)
- -Accommodates large tractor/trailer rigs, but drive is long and winding
- -Loading dock is shared with the entire Aspen School District. Long-term truck/trailer parking is not allowed in the dock area.

Dressing Rooms (1):

- -Large school classroom with fabric divider for women/men on SR.
- -Women's dressing room/side can accommodate 24 performers
- -Men's dressing room/side can accommodate 24 performers
- -Dressing rooms have tables with lighted mirrors and chairs
- -"Performer Only" bathroom with showers, sinks and toilets adjoins women's side, men's bathroom (same amenities) is SL.-Wardrobe racks are available
- -There are no individual dressing rooms for soloists or principals.
- -Dressing room has audio and video monitoring and a stage manager's paging system

Wardrobe:

- -Wardrobe area is located next to the dressing room
- -Space for storage of wardrobe cases in an adjacent hallway
- -Washer and dryer available (in loading dock hallway)
- -Steamer (large industrial) available
- -Irons and ironing boards available
- -Sewing machine available

Rehearsal Studio:

The Black Box Theatre (new 4/03) located on campus, is generally booked, but may be available with advanced notice. The Black Box is 45' x 55', has a sprung wooden floor, mirrors, a sound system, and is a fully functioning rehearsal and performance space.

Scene Shop:

The scene shop may be available, with advanced notice, and is equipped with power tools, hand tools and some stock hardware and lumber.

Rates:

Performances: \$550.00 (Sunday through Friday Evenings and Matinees)

\$600.00 (Saturday Evenings)

Tech/Rehearsal periods: \$165.00 (three per day – 5 hours)

Overtime hours (past midnight): \$55.00 per hour

Seat Surcharge: \$.50 per occupied seat

Ancillary Rooms: \$55.00 per day (\$27.50 per $\frac{1}{2}$ day)

(Local non-profit organizations receive 50% discount on rates, excluding seat surcharge.)

PLEASE NOTE: There are limited theatrical suppliers in the area. Only very basic supplies are available. Major suppliers are in Denver (4 hours) or Salt Lake City (7 hours). Please do not expect to be able to purchase specialty supplies in Aspen. FedEx, UPS and the Post Office can receive items overnight.

District Theatre

Line Set Schedule (a/o 9/15/10)

Set#	Distance	Type	Use				
1	1'-2"	D	Red Teaser and Red Tormentors (adjustable tail down)				
0	1'-10"	S	Red Grand Drape (Operates from Stage Left)				
2	2'-4"	D	Open				
3	2'-7"	D	Open				
4	3'-3"	S	#1 Electric				
5	4'-0"		Future				
6	4'-6"	D	Open				
Grid Platform Line							
_							
7	5'-2"	-	Future				
8	5'-10"	D	Open				
9	6'-0"	D	Open				
10	7'-2"	D	Border 1				
11	7'-10"	D	Legs 1				
12	8'-6"	D	Movie Screen				
13	9'-2"	~	Future				
14	9'-10"	S	#2 Electric				
15	10'-6"	_	Future				
16	11'-2"	D	Open				
17	11'-10"	D	Open				
18	12'-6"	D	Open				
19	13'-2"	D	Open				
20	13'-10"	D	Open				
21	14'-6"	D	Border 2				
22	15'-2"	D	Legs 2				
23	15'-10"		Future				
24	16'-6"	S	#3 Electric				
25	17'-2"	_	Future				
26	17'-10"	D	Open				
27	18'-6"	D	Open				
28	19'-2"	D	Open				
29	19'-10"	~	Future				
30	20'-6"	S	#4 Electric				
31	21'-2"	D	Border 3				
32	21'-10"	D	Legs 3				
33	22'-6"		Future				
34	23'-2"	C	Future				
35	23'-10"	S	#5 Electric				
36	24'-6"	D	Open				
37	25'-2"	D	Open E				
<i>38</i>	25'-10"	D	Future				
39	26'-6"	D	Open				
40	27'-2"	D	Open Pandon 4				
41	27'-10"	D	Border 4				
42	28'-6"	D	Legs 4				
43	29'-2"		Future				

44	29'-10"	\mathbf{S}	#6 Electric	
45	<i>30'-6"</i>		Future	
46	31'-2"	\mathbf{S}	Open	
47	31'-10"	D	Border 5	
48	32'-6"	D	Legs 5	
49	33'-2"		Future	
50	33'-10"	D	Black Scrim	
51	34'-6"	D	Full Black	
Grid	Platform Line	2		
52	35'-2"	D	Twin White Plastic Cyc (ASFB)	
53	35'-10"	D	Alternate #7 Electric Position	
54	36'-6"	D	Open	
55	37'-2"	D	#7 Electric	
56	37'-10"		Future	
57	38'-6"		Future	
58	40'-0"	D	White Bounce	

Aspen Santa Fe Ballet Contact Information

Please send any technical information and paperwork to the ASFB office. All gear should be shipped to the District directly.

Aspen Santa Fe Ballet 0245 Sage Way Aspen, CO 81611 970 925-7175 (P) 970 925-1127 (F)

Technical Director: Danny Bacheldor 773 351-6950 (C) danny@aspensantafeballet.com

Lighting Supervisor: Seah Johnson 505 750-7324 (C) seah@aspensantafeballet.com

Shipping Address for District Theater: (your name here) C/O Dennis Cyrus Aspen School District Theater 0235 High School Road Aspen, CO 81611

Backstage Production Line: 970 925-3760 x3113

Driving Directions

From Snowmass:

Take Brush Creek Road to Highway 82 Follow Highway 82 EAST until you reach the traffic circle Take the first right out of the traffic circle on Maroon Creek Road

Parking Lot: The first left will take you to the main parking lot.

Once you are in the lot, the backstage entrance is in the opposite corner that you entered the lot. Follow the sidewalk down the hill and around the building to reach the door.

Loading Dock: After 0.7 miles, take your second left into the loading dock.

The road is easy to miss. Look for the track and field on your left. Once you round the corner on Maroon Creek Road and are now heading up a small hill past the track and field, the loading dock entrance will be on your left. You will pass through a black chain link gate. The loading dock will be on

vour right.

